# Government of West Bengal

# Office of the Chief Medical Officer of Health Jalpaiguri

District Health Administrative Building, 1st Floor Hospital Road, Post & Dist-Jalpaiguri Phone-03561-225380/225394, E mail: dpmujpg@gmail.com

Memo No: - DHFWS/1197 22

Dated: - 21 / 04/2022

# NOTICE INVITING TENDER NO: - DHFWS/CW-01 OF 2022-23

The Chief Medical Officer of Health & Secretary under District Health & Family Welfare Samity, Jalpaiguri invites bids in two bid systems (Technical and Financial Bid). For details, interested bidders may please visit notice board of the undersigned or website: <a href="www.jalpaigurihealth.com">www.wbhealth.gov.in.</a> The sealed Tender (Technical and Financial Bid) has to be submitted in the drop box earmarked for this purpose. A separate envelope for financial bid should be used & to be put as inside the large envelope along with all documents mentioned in above. Name of the work and NIT no., Memo. no., date etc. should be subscribe on the sealed cover of the NIT.

SI no.	Name of the work	Type of Work	Tender amount (INR)	Earnest money (INR)	Time of completion of work
1	Repair and renovation work of Ladies toilet with attached room at CMOH office Jalpaiguri.	Civil Work	114831/-	2297/-	20 days

The authority reserves the right to reject or cancel any tender at any time without assigning any reason thereof.

During the scrutiny, if it come to the notice to tender inviting authority that the credential or any other paper found incorrect/ manufactured/ fabricated, that bidder would not allowed to participate in the tender and that application will be out rightly rejected without any prejudice.

The Tender Selection Committee reserves the right to cancel the N.I.T. due to unavoidable circumstances and no claim in this respect will be entertained.

CMOH &Secretary
DH & FW Samiti, Jalpaiguri

(or / yhour

Memo No: - DHFWS/119 #122/14(3)

Copy forwarded for information and wide circulation to: -

- 1. The Sabhadhipati, Jalpaiguri ZillaParishad, Jalpaiguri.
- 2. The District Magistrate, Jalpaiguri.
- 3. The Dy.CMOH-I/II/III, Jalpaiguri.
- 4. The Superintendent of Police, Jalpaiguri.
- 5. The Post Master, Jalpaiguri Head Post Office, Jalpaiguri.
- 6. The DPHNO, Jalpaiguri.
- 7. The DTO, Jalpaiguri.
- 8. The ACMOH, Sadar Sub Division, Jalpaiguri.
- 9. The AO & Tresurers, CMOH Office, Jalpaiguri.
- 10. The BMOH, Sadar block, Jalpaiguri.
- 11. The AE / BME / DPM/ DAM/ SAE (Civil / Electrical), NHM, DPMU, Jalpaiguri.
- 12. The Notice Board of CMOH Office, Jalpaiguri.
- 13. The IT Cell, Swasthya Bhavan, Kol-91 with a request to upload the NIT at their Departmental Website
- 14. The DSM, NHM, Jalpaiguri with the direction to publish to www.jalpaigurihealth.com

CMOH &Secretary
OH & FW Samiti, Jalpaiguri

Dated: - 21 / 54 / 2022

# 1. General Instructions:

Interested bidder may download the tender documents free of cost from the website: <a href="https://www.jalpaigurihealth.com">www.wbhealth.gov.in</a> directly or collect the same from the office of the undersigned. Earnest money should be deposited by demand draft in favour of "The CMOH, Jalpaiguri", payable at Jalpaiguri and also to be submitted along with tender documents.

#### 2. Submission of bids:

Both Technical bid and Financial Bid are to be submitted .All papers must be submitted in the drop box earmarked for this purpose. A separate envelope for financial bid should be used & to be put as inside the large envelope along with all documents mentioned in above.

## 3. Time Schedules for the tender

THE TIME SCHEDULE FOR THE TENDER WILL BE AS PER THE LIST PROVIDED BELOW.

## 4. ELIGIBILITY FOR QUOTING:

Any bonafide bidder having essential qualifications as mentioned in this tender document could be eligible for submission of bid for the tender. The price is to be quoted in Indian Rupees only including all taxes, GST, Labour Welfare cess etc as per Govt. norms. The work should be done as per specified item and drawing which are mentioned in the BOQ. The total liabilities of contractors from this end will be closed after receiving of final bill. The work area should be totally cleaned after completion of work and all contingencies should be removed before submission of final bill. The agencies who have been delisted or debarred by any Government Department shall not be eligible in any way of this NIT.

Any other law or act or rule as may be in force and made applicable to the workmen / supervisor / or other persons as may be deployed by the contractor for planning out the assign job involving use of skilled / semi-skilled / unskilled workers.

\*\*\*\*Payment for the work will be made on availability of fund\*\*\*\*

#### 5. SUBMISSION OF THE TENDERS

The tender is to be submitted in a two Bid System.

#### [A] Technical Bid:

(a) . Statutory Cover containing the following documents:

#### BID A:

The Bidder has to be submitted the duly signed NIT, Documentary Proof in support of deposited Earnest Money (EMD) should be enclosed with the NIT. No exemption regarding submission of Earnest Money deposit (EMD) will be entertained for this NIT as per order 3975-F(Y), date- 28<sup>th</sup> July, 2016 and 441-F(Y), 27<sup>th</sup> January, 2020 of the Audit Branch, Finance Department, Govt. of West Bengal. :-

SI No	Category	Sub Category	Sub Category Description
A	Certificates	A1 Certificates	PAN card of the authorized signatory.
			Up to date Professional Tax Registration
	The State of the S		Certificate & challan (preferable)
			GST Registration Certificate
	*-		Trade License upto date (preferable)
В	Company Details	B1 Company Details	Registration with Registrar of Companies (if applicable)
			Partnership Deed in case of Partnership Firm (if applicable)
			Power of Attorney (if applicable)
С	Credential	C1: Credential 1 Details	i) For first call of NIT : Intending tenders should
			produce credential Similar nature of work having
			done at least of 40% of estimated amount put to
		-	tender during 5 (Five) years prior to the date of
		4 1 2 2 2	issue of this tender notice
			or
			ii) Intending tenderes should produce credential
			of 02 (two) Similar nature of work, each of the
			minimum value of 30% of the estimated amount
	-		put to tender during 5 (Five) years prior to the
			date of issue of this tender notice.
			or
		-	iii) Intending tenderes should produce credential
			of one single running of work of Similar nature of
			work which has been completed to the extent of
			80% or more and value of which is not less than
			the desired value (i) above.
			The above matter is taken from the order no. 03-
			A/PW/O/10C-02/14, dated: 12.03.2015 of
•	1		Accounts Branch, Public Works Department, Govt.
			of West Bengal, Nabanna, Howrah-711102
D	FINANCIAL INFO	D1: Income Tax Return	Income tax Return to be submitted for the year
			2020-2021 (Assessment year 2021-2022).
		3-2	(Current year preferable).

## 2. COVER "B":

- [B] FINANCIAL BID "B":
- (i) BOQ for INR.

The folder as "Financial Bid" shall contain base price in Indian Rupee including all charges.

# 6. Evaluation of the tenders

During the tender evaluation process, the "Bid A" (technical bid) will be opened first. Those Tenderer who have qualified the essential & other requirements will be identified and only their "Bid B" (financial bid) i.e. Financial bid will be opened. The "Bid B" of those Tenderer failing to meet the technical & other

requirements of participating in the tender will not be opened and be rejected. The Tenderer offering the item found suitable and as being as per the tender specifications will only be selected.

The Tenderer who have been so identified to have been technically suitable in the context of above will be deemed to have passed the test of essential and other requirement of the quoted item or items.

The "Bid B" (Financial Bids) of only these tenderers passing the essential and other requirement test will be opened.

If found suitable in the context of above prequalification etc., the Tenderer quoting the lowest rate will be considered as successful.

# 7. Cost of Earnest Money:

All bidderes has to be submitted Earnest Money Deposite (EMD) by Demand Draft (DD) in favour of the "The CMOH, Jalpaiguri", Payble at Jalpaiguri". along with the NIT. Documentary Proof in support of deposited Earnest Money (EMD) should be enclosed with the NIT. No exemption regarding submission of Earnest Money deposit (EMD) will not be entertained for this NIT as per order 3975-F(Y), date- 28<sup>th</sup> July, 2016 and 441-F(Y), 27<sup>th</sup> January, 2020 of the Audit Branch, Finance Department, Govt. of West Bengal..

The earnest money of the Tenderer will liable to be forfeited if the Tenderer withdraws his tender as a whole or for any particular item or items at any stage after the opening of the tender, or fails / refuses to enter into written agreement for any of all of the items of his accepted tender within the time specified when requested to do so/fails to furnish Security Deposit within the stipulated time.

The Earnest Money will be refunded after finalization of the tender or within 3 (three) months from the date of opening of tender whichever is later against the specific prayer of Tenderer. Also follow the 3975-F(Y), date- 28<sup>th</sup> July, 2016 and 441-F(Y), 27<sup>th</sup> January, 2020 of the Audit Branch, Finance Department, Govt. of West Bengal.

#### 8. *RATE*:

The price is to be quoted in percentage rate of tender amount in Indian Rupees only including all charges example all taxes, GST and Labour welfare cess as per Govt. rules in the BOQ format which is attached in this NIT.

## 9. ORDER:

Work Orders for the said works will be placed with the successful tenderers after the execution of the agreements by 2911, 2911(ii) format. The successful tenderer will have to complete the work within the specified time schedule that had been assured at the time of selection as successful bidder

# 10. WITHDRAWAL /CANCELLATION & PURCHASE POLICY OF TENDERING AUTHORITY:

The tendering authority reserves the right to withdraw any item from the tender at any stage. The selection of such item, if already made in favour of any Tenderer, shall be treated as cancelled.

The tendering authority reserves the right to reject or accept any tender or part thereof at any stage or to split any tender without assigning any reason. Withdrawal of tender or any revision after submission of tender by the Tenderer will not be allowed.

The tendering authority reserves the right to accept or reject any tender, in part or in full, without assigning any reason.

#### 11. PENALTY CLAUSES-

PENALTY FOR FORMATION OF CARTEL OR FURNISHING OF FRADULENT/ MISLEADING DOCUMENTS: If during the tender process or at any state during the validity of the tender period, it is found that a Tenderer(s) has formed a cartel in what so ever form or name to fix up the rates or bidders to the detriment of the fairness of the tender process, penal measures shall be initiated. Similar penal measures shall also be initiated against those tenderers who have submitted false/ misleading/ fraudulent documents or made incorrect declarations. The penal measure will be Forfeiture of Earnest Money, Forfeiture of Security Deposit if enlisted as a successful bidder.

#### 12. APPEAL:

Appeal against the decision of the CMOH & Secretary, District Health & Family Welfare Samiti, Jalpaiguri and to impose such a penalty will lie with Tender Selection Committee. Review against the decision of the T.S.C. will lie with Health & F.W. Deptt of the Govt. of West Bengal.

# 13. AGREEMENT:

On a tender being accepted, intimation of acceptance will be forwarded to the Tenderer by CMOH & Secretary, District Health & Family Welfare Samiti, Jalpaiguri. After communication of the same, the Tenderer will have to execute agreement in the 2911/2911(ii)/2911 (ii) format with the CMOH & Secretary, District Health & Family Welfare Samiti, Jalpaiguri.

# 14. SECURITY DEPOSIT & Labour Cess Deduction & Defect liability period :

The Security Deposit will be mandatory for all bidders and will not be waived in any case.

Security deposite @10% will be deducted from the bill. Labour welfare cess @ 1 % will be deducted from the bill & others deduction may applicable as per govt. norms.

As per G.O. No. 4608-F(Y) dated.18<sup>th</sup> July,2018 of the Additional Chief Secretary to the Govt. of West Bengal, Finance Department, Audit Branch, Additional Performance Security @ 10% of the tendered amount shall be obtained from the successful bidder if the accepted bid value is 80% or less of the Estimate put to tender.

\*\*\*\*The defect liability period for this work is 01(one) year.\*\*\*

## 15. PAYMENT TERMS:

Payment will be made through e payment system through ECS/RECS/RTGS after execution of the work subject to:

On being selected, the successful vendors will have to submit one application to the Chief Medical Officer of Health, Jalpaiguri, stating name of the payee/ recipient, Bank account no with MICR code, IFSC of the payee/ recipient for making e payment. No manual payment is allowed to be made as far as practicable.

# 16. Date & Time Information: -

SI.	Particulars	Date & Time
No.		
1	Date of publishing of N.I.T.	25/04/2022, 01 pm
2	Date & Time limit for receipt of Tender documents:	25/04/2022 to 02/05/2022 , 01:00 PM
3	Bid submission start date	25/04/2022
4	Bid submission closing date	02/05/2022, 3:00 pm
7	Bid opening date for Technical Proposals	02/05/2022, 3.30 pm
8	Date of list for Technically Qualified Bidders	To be notified later
9	Date of opening of Financial Proposal	To be notified later
10	Date of list of finally selected bidder/bidders	To be notified later

CHIEF MEDICAL OFFICER OF HEALTH, JALPAIGURI RESERVES THE RIGHT TO CHANGE THE ABOVE SCHEDULE IN CASE OF ANY EXIGENCIES AFTER PUTTING UP A NOTICE IN THE DEPARTMENTAL WEBSITE AND CMOH OFFICE, JALPAIGURI.

CMOH &Secretary
OH & FW Samiti, Jalpaiguri

# CHECK LIST FOR THE BIDDERS: -

SI No	Items	Please put Tick Mark			
1	Tender Application.	Yes	No		
2	EMD	Yes	No		
3	Credential	Yes	No		
4	Trade License Upto date	Yes	No		
5	GST Registration Certificate Upto date	Yes	No		
6	Professional Tax Registration Certificate & challan. Upto date	Yes	No		
7	Pan Card	Yes	No		
8	I.T Clearance Certificate	Yes	No		
9	Partnership Deed (if applicable)	Yes	No		
10	Registration proof in case of firms with registrar of companies (if applicable)	Yes	No		
11	Power of Attorney (if applicable)	Yes	No		

Signature of the bidder with date & seal

N.B. It is the responsibility of bidder to go through the tender document to ensure furnishing of all required documents in addition to above, if any.

# ANNEXURE \_I

#### APPLICATION FORMAT

(To be furnished in the Company's official letter pad with full address and contact no. etc)

To
The CMOH & Secretary
DH & FW Samiti
Jalpaiguri

# Ref: NOTICE INVITING TENDER NO: - DHFWS/CW-05 OF 2021-22

Memo no: DHFWS/

Date:

Sub: Tender for repair and renovation work of Ladies toilet with attached room at CMOH office Jalpaiguri.

Sir,

I/We have thoroughly read all the terms and conditions of this tender guideline and is ready to execute the said work/works in accordance with that.

I/We further understand that you are not bound to accept the lowest or any bid you may receive against your above-referred tender enquiry.

I/We also understand that the tender selection committee reserves right to accept or reject any bid without assigning any reason thereof.

I/We confirm that we do not stand deregistered/banned/backlisted by any Government Authorities/Organization/Institution etc.

I/We have inspected the site of the work and have made me/us fully acquainted with the local conditions and around the site of the works.

I/We shall be bound by conditions laid down in the Notice Inviting Tenders, special terms and conditions and specifications, specified scheduled and also the I.S.I Code of practice.

I/We shall also uniformly maintain such progress with the work, as may be directed by the Engineer-In-Charge of the work to ensure completion of the same within the stipulated date.

Brief of court/legal pending, if any, are following:

We would authorize and request any Bank, Person, Firm or Corporation to furnish pertinent information as deemed necessary and/ or as requested by you to verify this statement.

Bidder to be filled:-

Full address:

Valid E-mail id:-

Valid contact no .:-

Signature of the bidder/authorized representative with Seal & Date

# Government of West Bengal Office of the Chief Medical Officer of Health Deptt. Of District Health & Family Welfare Samity Jalpaiguri

**Bill Of Quantity (BOQ)** 

Notice	e Inviting Tender No:- DHFWS/CW - 01 OF 2022	2-23				
Name	of work: Repair and renovation work of Ladies to	oilet with	attached ro	oom at CMC	OH office Ja	lpaiguri.
Work	Serial No:-					
Name	of Bidder/Bidding Firm/Company:-					
Addre	ss of Bidder/Bidding Firm/Company:-					
1			T·			-
1	Repair and renovation work of Ladies toilet with attached room at CMOH office Jalpaiguri.	Nos	1.000	114831.00		114831.00
		-	Less			
Quote	I 17		Above			
			At Per			
Ouote	d rate in Figures (In INR)					
Quote	a rate in rigures (in invit)					
	-,					
Quote	d rate in words (In %)					
	,					
	¥		-	- 1997		
	ı.					
Quote	d rate in words (in INR)					
				Signatu	re of bidder	
				- 10.1.1.		

# BOQ for repair and Renovation of Ladies Toilet with attached room at CMOH office, Jalpaiguri District

Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.  Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.  Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary(Ground Floor). [Excluding cost of chipping over concrete surface].  With 1.6 cement mortar  (b) 15 mm thick plaster.  (i) With 1.4 cement mortar (b) 10mm thick plaster  Supplying, fitting and fixing 1st quality ceramic tiles in walls and floors to match with the existing work, & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the, colour of tile including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.  (A) Floor  With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.  (ii) Other than Coloured decorative including white  (B) Wall  With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg / Sqm.  (b) Area of each tile above 0.09 So m  Rendering the Surface of walls and ceiling with White Cement base WATER PROOF wall putty of approved make & brand.(1.5 mm thick)	63.247 12.000 51.747 12.000	m2 m2 m² m²	19.00 56.00 138.65 123.65	1201.6 672.0 7174.73 1483.80
Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.  Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary(Ground Floor). [Excluding cost of chipping over concrete surface].  With 1:6 cement mortar  (b) 15 mm thick plaster.  (i) With 1:4 cement mortar (b) 10mm thick plaster  Supplying, fitting and fixing 1st quality ceramic tiles in walls and floors to match with the existing work, & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the, colour of tile including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.  (A) Floor  With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20 kg/Sq.m.  (ii) Other than Coloured decorative including white  (B) Wall  With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg / Sqm.  (b) Area of each tile above 0.09 Sq. m	51.747	m² m²	138.65	7174.73
throating, nosing and drip course, scaffolding/staging where necessary(Ground Floor). [Excluding cost of chipping over concrete surface].  With 1:6 cement mortar  (b) 15 mm thick plaster.  (i) With 1:4 cement mortar (b) 10mm thick plaster  Supplying, fitting and fixing 1st quality ceramic tiles in walls and floors to match with the existing work, & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the, colour of tile including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.  (A) Floor  With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.  (ii) Other than Coloured decorative including white  (B) Wall  With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg /Sqm.  (b) Area of each tile above 0.09 Sq. m	12.000	m <sup>2</sup>	123.65	
Supplying, fitting and fixing 1st quality ceramic tiles in walls and floors to match with the existing work, & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the, colour of tile including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.  (A) Floor  With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.  (ii) Other than Coloured decorative including white  (B) Wall  With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg / Sqm.  (b) Area of each tile above 0.09 Sq.m	13.860			1483.80
the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the, colour of tile including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.  (A) Floor  With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.  (ii) Other than Coloured decorative including white  (B) Wall  With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg / Sqm.  (b) Area of each tile above 0.09 Sq.m		m2	851.00	-
With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.  (ii) Other than Coloured decorative including white  (B) Wall  With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg /Sqm.  (b) Area of each tile above 0.09 Sq.m		m2	851.00	
With sand cement mortar (1:3)15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg / Sqm & joint filling using white cement slurry @ 0.20 kg /Sqm. (b) Area of each tile above 0.09 Sq. m	11.970			11794.86
		m2	1036.00	12400.9
	63.747	m <sup>2</sup>	122.00	7777.15
Applying Interior grade Acrylic Primer of approved quality and brand on plastered or cencrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparing the surface throughly, complete as per manufacturer's specification and as per direction of the EIC. (In Ground Floor)	63.747	. m²	30.80	1963.41
Acrylic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothning of surface.		m <sup>2</sup>	70.00	4462.30
(A)Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary:  With super gloss(hi- gloss)  (b) On steel or other metal surface:	3.240	m²	79.00	255.96
(fiv)Two coats (with any shade excent white)  Supplying, Fitting & Fixing 30 mm thick both side prelaminated Factory made solid Panel PVC Door Shutter consisting of outer frame made out of M.S. tubes of 19 gauge thickness and size 19 mmx19 mm for styles, top and bottom rails, M.S. frame shall have cost of steel primers of approved make and manufacture, M.S. frame covered with 5 mm th. heat moulded PVC "C" channel of size 30 mm th, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on either sides forming styles; and 5 mm th, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm tapered in 45 degree on the inner side to form top & bottom rail and 115 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided either side of the panel with 10 mm (5 mmx2) th, 20 mm wide cross PVC sheet as gap insert for top rail and bottom rail sheet to be fitted in the M.S. frame welded/sealed to the styles &rails with 7 mm (5 mm+2 mm) th.x15 mm wide PVC sheet beading on inner side and joined together with solvent cement adhesive. An additional 5 mm th. PVC strip of 20 mm which is to be stuck on the interior side of the "C" channel using PVC solvent adhesive etc. complete excluding all necessary hardwares as per direction of Engineer-in-Charge.	1.575	m2	2438.00	3839.85
Spplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS 733-1983 and Is: 1285-1975; Annodized (with required film thickness and specified color / natural) matt finished conformating to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer - In- Charge. (Payment will be made on finished length of the work).  (A) In 10-12 Micron thickness Annodizing film.  (I) Natural white				
i) Door frame. (Top & sides).	10.20	m	315.00	3213.00 486.40
	1.6	m	448.00	716.80
ii) Shutter: Lock rail.	1.6	m	377.00	603.20
		_		531.20 360.00
Supplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS: 732-1983 and IS: 1285-1975; Annodized (with required film thickness and specified colour / natural) matt finished conforming to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer - In-Charge. (Payment will be made on finished length of the work).(A)10-12 Micron thickness annodizing film i) Natural White h) Louvered window  i) Top, bottom and side member	5.60	m	183.00	1024.80
		m		1421.28 568.08
ii) Shutter: Bottom rail.  Providing, fitting and fixing in position, medium density fibre board conforming to IS: 12406 - 1988 for plain and IS: 14587 -1998 for prelaminated made of wood fibre bonded with urea formaldehyde for interior grade and phenol formaldehyde for exterior grade conferming to per Is: 848 - 1974 as per approved make and brand as per direction of Engineer - in - charge.  In ground floor  (A) Plain:  (b) Interior grade		m²	795.00	1144.80
Supplying 4 lever mortice lock or any approved make and brand as per direction of the Engineer- in -charge. ii) 100 mm.	2	Each	235.00	470.00
				404.00
(Natural white)				348.00
(ii) Door stopper (Anodised aluminium)	4	Each Each	75.00	1280.00 300.00
Supplying concealed type heavy duty PVC headed aluminium tower bolt for double leaf doors as per approved make and brand as per direction of Engineer-in-	4	Each	75.00	300.00
Supplying EPDM gusket of approve make and brand as per direction of Engineer in charge.    iii) weather gaskett / wool pile for door vertical.	4.1	m	21.00	86.10
Labour charge for fabrication and installation of composite door, window, partitions made from annodized extruded alloy aluminium sections for the following units:  (B) Partly glazed partly panelled or fully glazed single leaf aluminium swing door made of extruded and annodized alloy aluminium sections, fabrication including cutting to proper shape and size, drilling and aligning, fitted with heavy duty hydraulic action floor sping placed in the floor with mending damages, with top pin assembly of approve make and brand, fitted with in built locking arrangement, flush bolt, glazing clips and all other necessary fittings, fixtures, adhesives and joineries, cutting glass of approved make to requisite shape and size fitting with dry set neoprene or EPDM gasketing, cutting to requisite shape and size panel board (prelaminated particle block) fixing them with glazing clips as per drawing, specification and direction of Engineer in charge. The rate includes the hire charge of all tools and plants, adhesive, joineries such as screw, cleate angle etc. but excluded the cost of extruded sections, glass, neoprene / EPDM gasketing, locking arrangement, weather gasketing / wool pile, floor spring, top pin, handle tower bolt, glazing clips etc. (10% rate reduction has to be made for swing doors or partitions where floor sping is not uses. 10% enhensement of rate is to be made where door frame of extruded aluminium sections has to be fitted and fixed to masonry wall. 5% rate enhencement may be allowed for double leaf swing door. Payment shall be made for the shutter area only exept where door frame is fixed the entire opening shall be taken to consideration. Payment for door frame sections are to be paid seperately).	4.2	m2	1281.00	5380.20
	Innochaning of surface TANA Coasts (A/Painting with best quality synthetic enamed paint of approved make and brand including smoothening surface by sand papering etc. including using of approved purity on the surface. (Inc.) (A) On steal or other mental surface. (b) On steal or other mental surface. (c) On steal or other mental surface. (b) On steal or other mental surface. (b) On steal or other mental surface. (b) On steal or other other or	South   Content   Conten	Insorbating of surface.  (AP-Braining with best quality synthatic examel paint of approved make and brand including smoothering surface by sand papering etc. including using of Carlos	Insortating of Further.   Characters.   Ch

	damages, with top pin assembly of approve make and brand, fitted with in built locking arrangement, flush bolt, glazing clips and all other necessary fittings, fixtures, adhesives and joineries, cutting glass of approved make to requisite shape and size fitting with dry set neoprene or EPDM gasketing, cutting to requisite shape and size panel board (prelaminated particle block) fixing them with glazing clips as per drawing, specification and direction of Engineer in charge. The rate includes the hire charge of all tools and plants, adhesive, joineries such as screw, cleate angle etc. but excluded the cost of extruded sections, glass, neoprene / EPDM gasketing, locking arrangement, weather gasketing / wool pile, floor spring, top pin, handle tower bolt, glazing clips etc. (10% rate reduction has to be made for swing doors or partitions where floor spring is not uses. 10% enhensement of rate is to be made where door frame of extruded aluminium sections has to be fitted and fixed to masonry wall. 5% rate enhencement may be allowed for double leaf swing door. Payment shall be made for the shutter area only exept where door frame is fixed the entire opening shall be taken to consideration. Payment for door frame sections are to be paid seperately).	0.96	m2	730.00	700.80
22	Supplying, fitting and fixing in position fibre glass panes of approved quality with resin, nail, clip etc. as per IS:12866-1989. (In all floors for internal wall & upto 6 m height for external wall)  (d) 3.0 mm thick (5.10 Kg/Sq.m)	2.88	sqm	1381	3977.28
21	Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTMD - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrew, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground.				
	25 mm	15.000	r.m	205.00	3075.00
	40 mm	20.000	r.m	292.00	5840.00
22	Supplying, fitting & fixing UPVC pipes A- Type and fittings conforming to IS:13592-1992 with all necessary clamps nails, including making holes in walls, floor etc. cutting trenches in any soil through masonry concrete structures etc if necessary and mending good damages including joining with jointing materails (Spun Yarn Valamoid/Bitumen/M-Seal etc) complete.				
	A) UPVC Pipes:				0510.0
	(ii) 110 mm. Dia.	10.000	mtr.	251.00	2510.0
	c) Bend 87.5 degree				
	(ii) 110 mm. Dia.	1.000	Nos	160.00	160.0
	d) Shoe				
	(ii) 110 mm. Dia.	1.000	Nos	111.00	111.0
24	Supplying, fitting & fixing approved patent vent cowl I.C.I. conforming to I.S.S and painting two coats to the exposed surface with approved paint complete. (Payment of Painting will however be paid seperately).(ii) 75 mm dia.	7.000	each	273.00	1911.0
25	a) (ii) CP Pillar Cock Super Deluxe with Aerator - 15 mm. (Equivalent to Code No. 508 & Model No. Tropical / Sumthing Special of ESSCO or similar brand).	3.000	each	592.00	1776.00
26	Supplying, fitting and fixing white vitreous china based quality approved make wash basin with C.I. brackets on 75 mm x 75 mm wooden blocks, C.P. waste fittings of 32 mm dia., one approved quality brass C.P. pillar cock of 15 mm dia., C.P. chain with rubber plug of 30 mm dia., approved quality P.V.C. waste pipe with C.P. nut 32 mm dia., 900 mm long approved quality P.V.C. connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paints.  (ii)  630 mm X 450 mm size	1.000	each	3260.00	3260.00
27	Supplying, fitting and fixing Squating plate with integral flushing in white vitreous chinaware of approved make in cement concrete (6:3:1) with jhama chips complete. (i) 450 mm X 350 mm	1.000	each	881.00	881.00
28	Supplying, fitting and fixing Shallow water closet Indian pattern (I.P.W.C.) of approved make in white vitreous chinaware in position (excluding cost of concrete for fixing). (i) 580 mm long	3.000	each	973.00	2919.0
29	Supplying, fitting and fixing bevelled edged mirror 5.5 mm thick silver red as per I.S. 3438 / 1965 together with brass C.P. hinges. (ii) 600 mm X 450 mm	1.000	each	484.00	484.0
30	(c) Chromium plated Hand shower 70mm dia Round Shape Single flow with Flexible Tube & fittings(Equivalent to Code No. ESH-5512 & Model -Tropical / Sumthing Special of ESSCO or similar).	1.000	each	1228.00	1228.00
31	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to 1.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.	1.000	each	1015.00	1015.00
	TOTAL =				101512.6
					12181.51
	GST 12 %				
	TOTAL				
					113694.13 1136.94 114831.07